HP LaserJet Managed MFP E82550



Premium quality, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.



HP LaserJet Managed MFP E82550dn



HP LaserJet Managed Flow MFP E82550z

*Purchase of optional paper trays and output accessory availability varied by

High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 50 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

- 1. 250-sheet automatic document feeder supports media up to 11 x 17 inches (A3)
- 2. Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11×17 inches (A3)
- 7. Front door access to toner cartridges
- 8. Hardware Integration Pocket (for connecting accessory and third-party devices)¹
- 9. Easy-access USB port²
- 10. 500-sheet output bin
- 11. Automatic two-sided printing
- 12. HP Secure High-Performance Hard Disk
- 13. 520-sheet tray 2 supports media up to letter (A4)
- 14. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 15. Slot for cable-type security lock
- 16. 2 Hi-Speed USB 2.0 Host ports
- 17. Gigabit Ethernet port
- 18. Hi-Speed USB 2.0 Device port



Series at a glance





Model	HP LaserJet Managed MFP E82550dn	HP LaserJet Managed Flow MFP E82550z
Product number	Z8Z20A	Z8Z21A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E82550dn
Print speed ³	Up to 50 pages per minute (ppm), letter and A4	Same as E82550dn
ADF capacity	250 sheets, supports media up to 11 x 17 inches (A3)	Same as E82550dn
Scan speeds (black and color)4	Simplex/duplex: 90 ipm/180 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Same as E82550dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	Same as E82550dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E82550dn

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices















Top Features

Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z20A HP LaserJet Managed MFP E82550dn **Z8Z21A** HP LaserJet Managed Flow MFP E82550z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 Y1F98A HP LaserJet Dual Cassette Department Feeder **Y1G01A** HP LaserJet Department Job Separator Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch HP LaserJet Inner Finisher Swedish Punch **Y1G04A Y1G07A** HP Laser let Booklet Finisher Y1G12A HP LaserJet Hole Punch Swedish Accessory **Y1G20A** HP LaserJet 3000 Sheet HCI Dept Tray

HP LaserJet 2000-sheet HCI Input Tray

Supplies

Y1G21A

W9014MC
 HP W9014MC Black Managed LaserJet Toner (69,000 pages)
 W9015MC
 HP W9015MC Black Managed LaserJet Imaging Drum (396,000 pages)
 W9016MC
 HP W9016MC Managed LaserJet Toner Collection Unit (300,000 pages)

HP Care Packs

U9LR0E

U9LR1E HP 3 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR2E HP 4 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR3E HP 5 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR4E HP 3 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed **U9LR5E** HP 4 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR6E HP 5 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR7E HP 1 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) U9LR8E HP 3 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) **U9LR9E** HP 4 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) **U9LS0E** HP 5 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) HP 1 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LS1PE U9LS2PE HP 2 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LS3PE HP 1 year Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Laseret E825xx MFP Managed

HP 1 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Managed MFP E82550

	HP LaserJet Managed MFP E82550dn	HP LaserJet Managed Flow MFP E82550z
Product number	Z8Z2OA Print, Copy, Scan (fax and wireless optional)	Z8Z21A
unctions	Print, Copy, Scan (lax and whetess optional)	
rint Juplex print options	Automatic (standard)	
rint speed		m; Black (tabloid, normal): Up to 50 ppm; Black (A4, duplex): Up to 50 ipm; Black (letter, duplex): Up to
· · · · · speed	ipm; Black (A3, duplex): Up to 25 ipm; Black (tabloid, duplex): Up to 25 ipm	, , , . , , . , .
irst page out ²	Black (A4, ready): As fast as 6.8 sec; Black (A4, sleep): As fast as 20 sec; Black (letter, ready): As fast as	6.9 sec; Black (letter, sleep): As fast as 20 sec
rint technology	Laser	
rint resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi	
rint cartridges number	1 (1 black cartridge)	
tandard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	ALIO: 14 11 6 A. H LUDO D.: C. C 1939 D.: D 1939 U.
Printer management		e, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP \
	Pro Proxy Agent); HP JetAdvantage Security Manager	,
can		
can technology	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS	
can speed ⁷	Normal, A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)
Scan resolution	Enhanced: Up to 600 x 600 dpi; Hardware: Up to 600 x 600 dpi	: Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase
Digital sending starndard features	Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect;	
ican size	Flatbed: 297 x 432 mm; ADF scan size: 297 x 432 mm	
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; O	pen Extensibility Platform (OXP) applications
ican file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG,	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF
	TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	(OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PI JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR)
		PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Сору	·	·
opy smart software features		ges from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are
'any speed	designed for fewer LLC replacements and faster repairs. Black (A4, normal): Up to 50 cpm; Black (letter, normal): Up to 50 cpm; Black Duplex (A4): Up to 50 cpm;	r Rlack (lotter dunley). Un to 50 cpm
Copy speed First copy out	Black (A4): As fast as 6.4 sec; Black (A4, sleep): As fast as 20.5 sec; Black (letter): As fast as 6.5 sec; Black	
opy resolution	Black (text and graphics): Up to 1200 x 1200 dpi reduced speed; Color (text and graphics): Up to 1200 x	
Tax. number of copies	Up to 999 copies	· · · · · · · · · · · · · · · · · · ·
opier resize	25 to 400%	
opier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); op	
	collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; autor	natically detect color/mono; image Preview
ax	33.6 kbps	
ax speed	13.5 корs Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)	
ax resolution ax features	Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring dete	ction supported: No: Fax forwarding supported: Vest Junk harrier supported: Vest Maximum speed
ax reatures	dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax pol	
ax memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages	
onnectivity		
tandard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardwar	
Aobile printing capability ³	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 IPsec Configuration using IPsec Plug-in	P over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;
Network ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Wireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that	support wireless. These are listed in the connectivity section, above.
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Memory	Standard: 7 GB; Maximum: 7 GB	
		 encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data
Hard Disk	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data
Hard Disk Processor speed	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz	encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data
Hard Disk Processor speed Duty cycle (monthly)	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data
Hard Disk Processor speed Duty cycle (monthly) Paper handling	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages	
Hard Disk Processor speed Duty cycle (monthly) Paper handling nput	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215	
Hard Disk Processor speed Duty cycle (monthly) Paper handling nput Dutput	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages	0 sheet tray; Optional 3000 sheet tray
lard Disk Processor speed Puty cycle (monthly) Paper handling Apput Putput	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Mattle 190g, Light 60-74g, Bond, Recycled, HP Mattle 105g, HP Mattle 120g, HP Sof 111-130g, HP Mattle 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Mattle 200g	0 sheet tray; Optional 3000 sheet tray t Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy , HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard
lard Disk Processor speed Buty cycle (monthly) Paper handling Input Buty Buty Buty Buty Buty Bedia type	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume : Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 190g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 1111-130g, HP Matte 150g, HP Glossy 150g, EXTra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 2020, 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte	0 sheet tray; Optional 3000 sheet tray t Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy , HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard
lard Disk Processor speed Duty cycle (monthly) Paper handling Input Unitput Idedia type Media weight	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2, 3: 60 to 300 g/m²	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored
lard Disk Processor speed Luty cycle (monthly) Laper handling Input Luty but	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP ECDEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1.2, 33 to 10 300 g/m² Tray 1.2, 33 to 10 300 g/m² Tray 1.2, 33 to 300 d/m²	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H)	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages: Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP ECDEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1.2, 33 to 10 300 g/m² Tray 1.2, 33 to 10 300 g/m² Tray 1.2, 33 to 300 d/m²	0 sheet tray; Optional 3000 sheet tray t Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy , HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard d, Prepunched, Colored
lard Disk Processor speed Duty cycle (monthly) Paper handling Input Unitput Idedia type Idedia weight Idedia sizes custom Idedians (W x D x H) Idedia ty the box	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren	0 sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2d, Prepunched, Colored 57.2 mm
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media weight Media sizes custom Dimensions (W x D x H) Meight What's in the box	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume : Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 190g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 170g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 20g, 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2, 3: 60 to 300 g/m² Tray 1: 98 x 133, 150 to 300 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages: Recommended monthly page volume : Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EccEFICIENT, HP Matte 190g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2, 3: 60 to 300 g/m² Tray 1; 98 x 139-7 to 320 to 457.2 mm; Tray 2; 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4/585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region.	0 sheet tray; Optional 3000 sheet tray 1 Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support to learn about HP award winning service and support options in you
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1.2, 33: 50 to 300 g/m² Tray 1.2, 33: 50 to 300 g/m² Tray 1.2 35: 50 to 300 g/m² Fray 1.2 35: TUL; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirencegion. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard d, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) hents. Go to http://www.hp.com/support to learn about HP award winning service and support options in your 55, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2, 3:60 to 300 g/m² Tray 1: 23:60 to 300 g/m² Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU: Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vg Windows 7 all 32-8 & 64-bit editions (sextuding RT OS for Tablets).	0 sheet tray; Optional 3000 sheet tray It Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm It and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets),
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP ECOEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Venne, XP Pro, etc.)	0 sheet tray; Optional 3000 sheet tray It Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm It and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets),
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 117-31, 2, 3: 60 to 300 g/m² Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 93.2.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), V Home, XP Pro, etc.)	0 sheet tray; Optional 3000 sheet tray It Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm It and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in your 55, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- 8 64-bit editions (excluding RT OS for Tablets).
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Unity the dedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Compatible operating systems Alinimum system requirements	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1; 28 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4/565 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Versical Brook of the space; OS hardware requirements see microsoft.com PMac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	0 sheet tray; Optional 3000 sheet tray 1 Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8, 6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Vindows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (v
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Unity the dedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Compatible operating systems Alinimum system requirements	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 117-31, 2, 3: 60 to 300 g/m² Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 93.2.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), V Home, XP Pro, etc.)	0 sheet tray; Optional 3000 sheet tray 1 Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8, 6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Vindows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (v
lard Disk Processor speed Puty cycle (monthly) Paper handling Input Dutput Adedia type Adedia weight Adedia sizes custom Dimensions (W x D x H) Velight What's in the box Varranty features Systems Compatible operating systems Adminimum system requirements Security management	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP ECOEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 4.2.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Venoe, XP Pro, etc.) PC: 2 GB available hard drisk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drisk space; OS hardware requirements see Apple.com for more info Management security. SNMPy3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP	0 sheet tray; Optional 3000 sheet tray 1 Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 2, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8, 6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Vindows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (v
lard Disk Processor speed Duty cycle (monthly) Paper handling Input Unitput Idedia type Idedia weight Idedia sizes custom Idedia weight Idedia yeight Idedia weight Idedi	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2, 35 to 10 300 g/m² Tray 1, 2, 35 to 10 300 g/m² Tray 1, 2, 35 to 10 300 g/m² Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 al 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-8. 86-bit editions, Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 7 all 32-8. 86-bit editions, Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32-8. 86-bit editions (excluding RT OS for Table	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1PG Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard d, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you service. So to http://www.hp.com/support options in you 15, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- 8.64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;
Aard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Idedia type Aedia weight Idedia sizes custom Dimensions (W x D x H) Idedia have been been been been been been been be	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages: Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 USE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), VHome, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security; SMPA2, SSL/TLS, WPA2-Enterprise, 80.2.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 Psec Configuration using IPsec Plug-in (10.03 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	0 sheet tray; Optional 3000 sheet tray t Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy .HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard .d, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by P over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Ard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Compatible operating systems Alinimum system requirements Security management Fonts and Typefaces Control panel	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1P Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard d, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you service. So to http://www.hp.com/support options in you service. So X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia type Aedia weight Aedia sizes custom Imensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Fonts and Typefaces Control panel	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages: Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 USE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), VHome, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security; SMPA2, SSL/TLS, WPA2-Enterprise, 80.2.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 Psec Configuration using IPsec Plug-in (10.03 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	O sheet tray; Optional 3000 sheet tray (Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 14 Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP ECOEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Soft 111-130g, HP Matte 120g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 4.2.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Venoe, Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security. SMMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 IP-sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (C	O sheet tray; Optional 3000 sheet tray It Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy .HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard .d, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) Tents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you service. S x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ct-(-10%), 220 to 240Vac (-/-10%), 50/60 Hz (-/-3%)
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Winimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoErf ICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHoyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1, 2, 3: 50 to 300 gMr. Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirence in the support of the support	Cost 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dt, Prepunched, Colored Tand setup documentation; Support flyers (DOES NOT INLCLUDE TONER) Tents. Go to http://www.hp.com/support to learn about HP award winning service and support options in your service. St. 11. Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Prome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Professional, etc.), Windows VP SP3 32-bit editions (Professional) (Pro
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Winimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 4.2.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 all 32-8 64-bit editions, Windows 8/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), Velone, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WIA-10 IP-Sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type:	10 sheet tray; Optional 3000 sheet tray 11 closs 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 11 clossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 12 closed, Prepunched, Colored 13 closed and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 14 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 15 ents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 15 sents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 15 sente, OS x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), 16 vindows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (17 pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 18 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; 18 illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware 18 land 19 land
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Fonts and Typefaces Control panel Display Power Foftware included	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoErf ICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHoyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1, 2, 3: 50 to 300 gMr. Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirence in the support of the support	Cost 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dt, Prepunched, Colored Tand setup documentation; Support flyers (DOES NOT INLCLUDE TONER) Tents. Go to http://www.hp.com/support to learn about HP award winning service and support options in your service. St. 11. Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Semite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Prome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Professional, etc.), Windows VP SP3 32-bit editions (Professional) (Pro
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Meight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Accoustics	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoErCIECINT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1, 2, 35 to 10 300 g/m? Tray 1, 2, 35 to 10 300 g/m? Tray 1, 2, 35 to 10 300 g/m? Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 al 32-8 64-bit editions, Windows 8/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), Whome, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac1 3 GB available hard disk space; OS hardware requirements see pole.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WIA-10 Psec Configuration using IPsec Plug-in 84 scalable Ture Iype fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Horne button (for quick return to the Horne menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color	Consequence of the second seco
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages: Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4/585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Velone, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard disk space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 80.2.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 Psec Configuration using Psec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Horne button (for quick return to the Horne menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) Touch Graphics Display (CGD) with	(Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 27, Prepunched, Colored 28, Prepunched, Colored 29, Prepunched,
Ard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Idedia type Aedia weight Aedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Compatible operating systems Alinimum system requirements Gecurity management Fonts and Typefaces Control panel Display Dewer Fortware included Roustics Environmental ranges	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Erwelope, Heavy Erwelope, Preprinte Tray 1, 2; 3: 50 to 300 g/m² Tray 1, 2; 3: 50 to 300 g/m² Tray 1, 2; 3: 50 to 300 g/m² Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirencegion. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Vc Windows 7 at 13 2-8 64-bit editions, Windows 8/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 7 at 13 2-8 ac 46-bit editions, Windows 8/8.1 all 32-8 64-bit editions (EAP- PEAP, EAP-TLS), IP Support for WJA-10 Psec Configuration using IPsec Plug-in 8a scalable True Type fonts. 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Dr	1 closs 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 3 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 3 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 4 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentatio
Hard Disk Processor speed Duty cycle (monthly) Paper handling Input Dutput Media type Media weight Media sizes custom Dimensions (W x D x H) Meight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Accoustics	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. 1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215 500 sheet face-down output bin Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XhvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinte Tray 1, 2; 35 to 10 300 g/m? Tray 1, 2; 36 to 10 300 g/m? Tray 1, 2; 36 to 10 300 g/m? Tray 1: 29 8x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4: 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install 90 day parts only. Extended Warranty and support options vary by product, country and local legal requiren region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS mac05 10.12 Sierra, OS X 10.10 Vc Windows 7 all 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Venue, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac1 3.1 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IP Support for WJA-10 IP Sec Configuration using IP Sec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) Touchs	1 closs 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 1HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard dd, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 2 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 3 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 3 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 4 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) 5 and setup documentatio

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Product walkaround disclaimers

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use.
 ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and
- application software.

Technical specifications disclaimers

- 1 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
 2 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Optional Wireless Direct and Wireless
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁶ Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit hp.com